

**GEOGRAPHIC INFORMATION SYSTEMS
GEOGRAPHIC INFORMATION CENTER
PO BOX 5839
MC ALLEN, TEXAS 78502-5839**

1-800-522-0139

**kh@acnet.net
Copyright 2010**

***** EXAMINATION *****

**INTERIOR FINISH DESIGN AND CONSTRUCTION
USING THE 2003 INTERNATIONAL BUILDING CODE**

1. **Materials for interior finishes shall limit flame spread except for:**
 - a) materials having a thickness less than 0.036 inch
 - b) materials having a thickness less than 0.050 inch
 - c) materials having a thickness less than 0.064 inch
 - d) materials having a thickness less than 0.080 inch

2. **Buildings in flood hazard areas should use flood-damage-resistant**
 - a) materials for interior finishes
 - b) materials for trim
 - c) materials for decorative materials
 - d) All of the above

3. **Combustible materials shall not be permitted for:**
 - a) walls
 - b) ceilings
 - c) floors
 - d) All of the above materials are permitted to be combustible

4. **The propagation of flame over a surface is:**
 - a) flame resistance
 - b) flame spread
 - c) flame spread index
 - d) trim

5. **Interior finish includes:**
 - a) interior wall finish
 - b) ceiling finish
 - c) interior floor finish
 - d) All of the above

6. **The flame spread for Class A interior finish materials is:**
 - a) 0 to 25
 - b) 26 to 75
 - c) 75 to 200
 - d) None of the above

7. **The flame spread for Class B interior finish materials is:**
 - a) 0 to 25
 - b) 26 to 75
 - c) 75 to 200
 - d) None of the above
8. **The flame spread for Class C interior finish materials is:**
 - a) 0 to 25
 - b) 26 to 75
 - c) 75 to 200
 - d) None of the above
9. **During 40 kW exposure to the interior finish, flames shall be**
 - a) spread to the floor
 - b) spread to the roof
 - c) spread to the ceiling
 - d) spread to the wall
10. **Interior finish materials should not detach when subjected to room**
 - a) temperature of 200 degrees Fahrenheit for not less than 30 minutes
 - b) temperature of 225 degrees Fahrenheit for not less than 30 minutes
 - c) temperature of 250 degrees Fahrenheit for not less than 30 minutes
 - d) temperature of 275 degrees Fahrenheit for not less than 30 minutes
11. **Interior finish material shall not be applied to furring strips:**
 - a) exceeding 1.25 inches
 - b) exceeding 1.75 inches
 - c) exceeding 2.25 inches
 - d) exceeding 2.75 inches
12. **Interior walls finishes that are applied directly against a:**
 - a) noncombustible backing shall not be more than 0.25 inch thick
 - b) noncombustible backing shall not be more than 0.35 inch thick
 - c) noncombustible backing shall not be more than 0.45 inch thick
 - d) noncombustible backing shall not be more than 0.55 inch thick
13. **Textile materials used for NFPA compliant interior wall finishes**
 - a) include tufted
 - b) include looped
 - c) include napped
 - d) All of the above
14. **Expanded vinyl wall coverings shall comply with the requirements for:**
 - a) textile wall and ceiling materials
 - b) floors
 - c) normal walls
 - d) concrete

15. **Exceptions to interior floor finish requirements include:**
- a) wood
 - b) vinyl
 - c) terrazzo
 - d) All of the above
16. **Combustible material may be used for:**
- a) floor sleepers
 - b) bucks
 - c) nailing blocks
 - d) None of the above
17. **Combustible insulating boards are permitted if they are not**
- a) more than 1/4 inch thick
 - b) more than 1/2 inch thick
 - c) more than 3/4 inch thick
 - d) more than 1 inch thick
18. **Curtains and draperies shall be flame resistant according to:**
- a) NFPA 285
 - b) NFPA 313
 - c) NFPA 701
 - d) NFPA 785
19. **The permissible amount of noncombustible materials is:**
- a) limited
 - b) not limited
 - c) limited for rooms greater than 200 square feet
 - d) limited for rooms greater than 300 square feet
20. **Combustible trim, excluding handrails and guardrails, shall not**
- a) exceed 10 per cent of the aggregate wall or ceiling area
 - b) exceed 15 per cent of the aggregate wall or ceiling area
 - c) exceed 20 per cent of the aggregate wall or ceiling area
 - d) exceed 25 per cent of the aggregate wall or ceiling area

GEOGRAPHIC INFORMATION SYSTEMS
 GEOGRAPHIC INFORMATION CENTER
 PO BOX 5839
 MC ALLEN, TEXAS 78502-5839

1-800-522-0139
 kh@acnet.net
 Copyright 2010

*** ANSWER SHEET *** U209 INTERIOR FINISH DESIGN AND CONSTRUCTION USING THE 2003 INTERNATIONAL BUILDING CODE	<u>STATE BOARD</u>	<u>COURSE NO.</u>	<u>VALUE</u>
			8 PDH
Office Use Only			

FILL IN ONE BOX FOR EACH ANSWER.

	A	B	C	D
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				

I hereby certify that I studied the course materials, and the above answers are my own. No other person has helped me to complete this exam.

 Signature Date

 Printed or typed name

 Seal or Number

**GEOGRAPHIC INFORMATION SYSTEMS
GEOGRAPHIC INFORMATION CENTER
PO BOX 5839
MC ALLEN, TEXAS 78502-5839**

**1-800-522-0139
kh@acnet.net
Copyright 2010**

Name _____

Company _____

Address _____

City _____ **State** _____ **Zip** _____

Telephone _____ **E-Mail** _____

Fax _____ () **24-Hour Fax**

() **Yes** () **No** **If fax and telephone are the same number, shall we call first?**

Mail certificates to above address _____ **check address** _____ **envelope address** _____

State + Specialty + PE Registration number (i.e. TX EE 12389) _____

State + Professional Land Surveying registration number _____

NC (North Carolina) + Specialty + PE Registration number _____

NC (North Carolina) + Land Surveying Registration Number _____

Professional Affiliations _____

Return this page with your answer sheet and a check or money order For \$100 per course. Use one check for each registrant (in your company) taking one or more courses. We accept company checks (if they are your employer's). We do not accept third-party checks or checks outside of your city of residence. Using third-party checks that do not include your name or company name may invalidate your professional development hours being reviewed by an audit process. Add \$5 for same day processing and priority shipping.

Make checks or money orders payable to Geographic Information Systems.

